



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

MORBIDITY AND MORTALITY—Continued.

Weekly morbidity and mortality table, cities of the United States—Continued.

Cities.	Week ended—	Esti- mated popula- tion, 1909.	Total deaths from all causes.	Tuber- culosis.		Ty- phoid fever.		Scarlet fever.		Diph- theria.		Measles.		Whoop- ing cough.	
				Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Toledo, Ohio.....	June 4	178,753	39	2	1	4	37
Do.....	June 11	31	2	6	5	3	26
Do.....	June 18	41	4	2	1	2	16
Do.....	June 25	41	4	2	1	2	13
Do.....	July 2	36	18	2	4	3	2	2	1	15	2
Trenton, N. J.....	do.....	95,053	5	3	3	4	2	6
Utica, N. Y.....	do.....	70,911	18	2	1	1
Waltham, Mass.....	do.....	29,083	9	1	1	3
Washington, D. C.....	do.....	237,044	112	43	12	8	1	10	1	7	12	1
Wheeling, W. Va.....	June 18	43,234	14	3	1	2	1	5	2	2	1
Do.....	June 25	20	1	1	5	1	1
Wichita, Kans.....	July 2	52,313	25	1	1	1	4
Wilkes-Barre, Pa.....	do.....	65,724	25	5	7	1	3	6
Wilkesburg, Pa.....	do.....	20,884	6	1	13	2
Williamsport, Pa.....	do.....	30,382	5	11
Wilmington, Del.....	do.....	90,260	34	2
Woburn, Mass.....	do.....	14,550	2	1	4
Worcester, Mass.....	June 25	137,849	42	5	2	5	5	17
Do.....	July 2	48	7	3	2	1	6	26
Yonkers, N. Y.....	do.....	74,897	23	4	4	11	3	2	1
York, Pa.....	do.....	42,805	7	1	2	4
Zanesville, Ohio.....	do.....	26,042	7	1

STATISTICAL REPORTS OF MORBIDITY AND MORTALITY, STATES AND CITIES OF THE UNITED STATES (untabulated).

Florida.—Week ended July 2, 1910. Reports from the State board of health show 13 cases of typhoid fever in 4 localities, malaria 4 cases in 2 localities (Tampa and Ybor City), and tuberculosis 7 cases in 6 localities.

North Carolina.—Month of March, 1910. Reports to the State board of health show typhoid fever present in 20 counties, smallpox in 46 counties, measles in 44 counties, scarlet fever in 18 counties, diphtheria in 22 counties, malarial fever in 1 county, hemorrhagic fever in 1 county.

Pennsylvania.—Month of April, 1910. Total number of deaths from all causes, 9,934, of which 124 were caused by typhoid fever, 99 by scarlet fever, 148 by diphtheria, 172 by measles, 90 by whooping cough, 2 by smallpox, 214 by influenza, 4 by malarial fever, 838 by tuberculosis of the lungs, 140 by tuberculosis of other organs, 405 by cancer, 51 by diabetes, 79 by meningitis, 1,487 by pneumonia, 234 (under 2 years) and 77 (over 2 years) by diarrhea and enteritis, 556 by Bright's disease, 545 by diseases of early infancy, 75 by suicide, 79 by accidents in mines and quarries, 102 by railway injuries, 453 by other forms of violence, 3,960 by all other diseases.

Month of May, 1910. The total number of communicable diseases reported was 16,345, distributed as follows: Cerebro-spinal meningitis 13, chickenpox 510, diphtheria 1,053, erysipelas 165, German

measles 366, hydrophobia 3, malarial fever 7, measles 8,470, mumps 710, pneumonia 675, puerperal fever 13, scarlet fever 1,454, smallpox 22, tetanus 14, trachoma 21, tuberculosis 1,416, typhoid fever 491, whooping cough 942.

NEW JERSEY.—Month of June, 1910. Population 1,883,669. Total number of deaths from all causes 2,977, including typhoid fever 20, measles 19, scarlet fever 33, diphtheria 27, tuberculosis 367.

SOUTH CAROLINA—*Charleston*.—Month of June, 1910. Population 57,593. Total number of deaths from all causes, 159, including typhoid fever 2, pellagra 3, tuberculosis 14.

Cases reported: Typhoid fever 21, smallpox 16, scarlet fever 1, diphtheria 2.

TEXAS—*Waco*.—Month of May, 1910. Population 30,000. Total number of deaths from all causes, 44, including typhoid fever 2, tuberculosis 6.

Cases reported: Smallpox 5, scarlet fever 6, diphtheria 1.